



Chain



OEKO-TEX®
CONFIDENCE IN TEXTILES



FABRAA®
fabrics with a conscience



Chain

This sustainable luxurious upholstery fabric is woven on a jacquard loom. It is a yarn dyed fabric and the combination is from all different types of sustainable and virgin yarns. This makes the textile unique in its kind and will give the furniture or bed an extra luxurious and exclusive look & feel.

Suitable for all types of upholstery and perfect to combine with many different styles. The GRS certified transparent coating provides Chain extra body and makes it even stronger.

There is also wool in this fabric, therefore kindly note that during use a certain wooliness / hairiness may appear, this has no further negative influence on the durability of this upholstery fabric.

Available in a wide range of colours from stock and certifications are available. Chain is machine-washable at 30 degrees Celsius.

- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture slightly damp after washing.


Fabreea Upholstery fabrics with a conscience. We make sustainable choices easy by offering a wide range of high-quality, affordable upholstery fabrics with consideration for the conditions throughout the supply chain.

Composition

/ faceside 45%RPET 32%PAC 10%RCO 7%PES
6%WO
/ backside n/a
/ flatweave

Suitable for

sofa's, beds, chairs with fitted and loose fitting upholstery



beige 05



cinnamon 94



denim 153



ecru 102



eucalyptus 193




graphite 66




grey 65



hazel 96



ivory 101



jungle 207



liver 10



mustard 06

Please note: colours may vary according to your screen settings.



steel 149



wood 108

Please note: colours may vary according to your screen settings.

Chain - Article passport


A sustainable, luxurious, yarn dyed upholstery fabric, woven on a jacquard loom for an exclusive look & feel.

Available from stock in a wide range of contemporary and commercial colours.

Product characteristics

Productgroup	flatweave
Applications	sofa's, beds, chairs with fitted and loose fitting upholstery
Composition faceside	45%RPET 32%PAC 10%RCO 7%PES 6%WO
Composition backside	n/a
Coating	transparent
Statistic code	55169300
Dyeing method	yarn dyed
Available colours	14
Packaging	transparent plastic

Durability specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Dry	Wet	DGM	DGM+	
Abrasion resistance - yarn breakage	DIN EN ISO 12947-1:2007-04, DIN EN ISO 12947-2:2017-03	CTL	cycles	35.000		min. 8.000	min. 16.000	B
Pilling	DIN EN ISO 12945-2:2000-11. 2000 cycles	CTL	grade	4-5		min. 3-4	min. 4	A
Colour fastness to light	DIN EN ISO 105-B02:2014-11. Process 3, exposure level 5							
	light colours	CTL	grade	5		min. 4	min.5	B
	middle colours	CTL	grade	5		min. 4	min.5	B
Colour fastness to rubbing	DIN EN ISO 105-X12:2016-11							
	light colours	CTL	grade	5	5	dry: > 4, wet: 3	dry: > 4, wet: 3-4	A/A
	middle colours	CTL	grade	5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
Colour fastness to rubbing	dark colours	CTL	grade	4-5	4-5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
	Ignitability (cigarette test)	 BS 5852 part 1 (1979) from The Furniture and Furnishing (Fire) (Safety) regulations: 1988 No. 1324. Schedule 4 part 1 Ignition source 0: cigarette	CTL		passed			

Processing specifications

Minimum workable width in centimeters	± 138							
Roll length in meters	± 35							
Material weight in grams per linear meter	± 613							
Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Tensile strength	DIN EN ISO 13934-1:2013-08	CTL	Newton	1.127	970	min. 350	min. 400	A/A
Tear growth resistance	DIN EN ISO 13937-3:2000-06	CTL	Newton	102,9	167,9	min. 25	min. 30	A/A
Resistance to seam slippage	DIN EN ISO 13936-2:2004-07. Load 180 N	CTL	mm	3,5	3,2	max. 5	max. 4	A/A
Delamination	DIN 53530:1981-02	CTL	Newton	n/a	n/a	n/a	n/a	n/a
Chemical substances	REACH	Centexbel	passed					
	Oeko-Tex, product class II	Centexbel	certified					

Cleaning specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Dimensional change for washing 30 degrees celcius / air drying	DIN EN ISO 5077:2008-04, DIN EN ISO 6330:2013-02, DIN EN ISO 3759:2011-08	CTL	%	-1,6	-2,2	n/a	n/a	A/B



- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture slightly damp after washing.

OEKO-TEX®
CERTIFIED IN TEXTILES



FABRAA®
fabrics with a conscience

Textafoam b.v.

La Défense 11 | 5026 SC Tilburg

P.O. Box 12 | 5050 AA Goirle

The Netherlands

T +31(0)13 534 5934

F +31(0)13 534 7586

E info@fabraa.com

www.fabraa.com