



Jeans



FABRAA
fabrics with a conscience



Jeans

From worn Jeans to an authentic new upholstery textile!
This innovative post-consumer upholstery fabric gives a second life to used Jeans and plastic bottles. Jeans is perfect for all kinds of interior applications and represents a next step towards textile-to-textile recycling.

This cool upholstery textile consists of 35% recycled cotton (worn denim pants) and also 65% recycled PET. So actually 100% composed of post-consumer recycled materials.

The combination of cotton and polyester ensures a soft handfeel, durable and a matte and subtle look. By using carefully collected and selected denim qualities as a base, part of the original colour is preserved and is available from stock in a limited certain jeans shades/ colours.

Woven in Prato (Italy) and developed within a transparent European supply chain, including collected jeans from the Netherlands www.boergroup.eu In this way, innovation, design, and more conscious material use come together in one contemporary new developed upholstery fabric.

In Prato, craftsmanship has been passed down through generations, making the region a leading hub and knowledge center in the recycling industry. Due to the natural and artisanal nature of this process, slight variations in colour may occur compared to virgin materials. However, these always remain within our strict quality standards. For larger, project based applications, we ensure all materials come from the same batches to prevent any visible differences.

The unique, natural, and handcrafted character of Jeans transforms every piece of furniture into a warm and eye-catching statement.

During use, a certain hairiness may appear, this has no further influence on the durability of this type of flatwoven fabrics and can be taken away with a pilling machine. As explained above, due to the production process, each batch is unique and small colour variations may occur. Machine-washable at 30 degrees Celsius.

- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.

Fabraa Upholstery fabrics with a conscience. We make sustainable choices easy by offering a wide range of high-quality, affordable upholstery fabrics with consideration for the conditions throughout the supply chain.

Composition

/ faceside 65%RPET 35%RCO


/ backside n/a

/ flatweave

*R=recycled

Suitable for


sofa's, beds, chairs with fitted and loose fitting upholstery




anthracite 67




brown 15




denim 153



navy 49



shell 196



zinc 167

Please note: colours may vary according to your screen settings.

Jeans - Article passport

From worn Jeans to an authentic new upholstery textile!

Available from stock in a wide range of contemporary and commercial colours.

Product characteristics

Productgroup	flatweave
Applications	sofa's, beds, chairs with fitted and loose fitting upholstery
Composition faceside	65%RPET 35%RCO
Composition backside	n/a
Bonding / Coating	n/a
Statistic code	55143010
Dyeing method	yarn dyed
Available colours	6
Packaging	transparent plastic

Durability specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Dry	Wet	DGM	DGM+	
Abrasion resistance - yarn breakage	DIN EN ISO 12947-1:2007-04, DIN EN ISO 12947-2:2017-03	CTL	cycles	32.000		min. 16.000	min. 25.000	B
Pilling	DIN EN ISO 12945-2:2000-11. 2000 cycles	CTL	grade	3-4		min. 3-4	min. 4	C
Colour fastness to light	DIN EN ISO 105-BO2:2014-11. Process 3, exposure level 5							
	light colours	CTL	grade	4		min. 4	min.5	C
	middle colours	CTL	grade	4		min. 4	min.5	C
Colour fastness to rubbing	DIN EN ISO 105-X12:2016-11							
	light colours	CTL	grade	4-5	4	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
	middle colours	CTL	grade	4	4	dry: 4, wet: 3	dry: > 4, wet: 3-4	B/A
dark colours	CTL	grade	4	3	dry: 4, wet: 3	dry: > 4, wet: 3-4	B/B	
	Ignitability (cigarette test)	BS 5852 part 1 (1979) from The Furniture and Furnishing (Fire) (Safety) regulations: 1988 No. 1324. Schedule 4 part 1 Ignition source 0: cigarette	CTL	passed				

Processing specifications

Minimum workable width in centimeters	± 138							
Roll length in meters	± 30							
Material weight in grams per linear meter	± 500							
Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Tensile strength	DIN EN ISO 13934-1:2013-08	CTL	Newton	1.393	800	min. 350	min. 400	A/A
Tear growth resistance	DIN EN ISO 13937-3:2000-06	CTL	Newton	80,1	48,6	min. 25	min. 30	A/A
Resistance to seam slippage	DIN EN ISO 13936-2:2004-07. Load 180 N	CTL	mm	5,0	4,0	max. 5	max. 4	B/A
Delamination	DIN 53530:1981-02	CTL	Newton	n/a	n/a	n/a	n/a	n/a
Chemical substances	REACH	Centexbel	passed					

Cleaning specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Dimensional change for washing 30 degrees celcius / air drying	DIN EN ISO 5077:2008-04, DIN EN ISO 6330:2013-02, DIN EN ISO 3759:2011-08	CTL	%	3,0	2,0	n/a	n/a	B/A

- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.



FABRAA
fabrics with a conscience

Textafoam b.v.
La Défense 11 | 5026 SC Tilburg
P.O. Box 12 | 5050 AA Goirle
The Netherlands

T +31(0)13 534 5934
F +31(0)13 534 7586
E info@fabraa.com
www.fabraa.com